# INDEX TO VOLUME—55[1]

All new names are printed in *italics*


Abasanistus, 19
Acanthocephala terminalis, 677
Acari, 295, 394
Acarina, 164, 196, 202, 357, 361, 483, 507, 547, 583, 587, 605, 709, 713
Acheta domesticus, 90
  sp., 92
Acropogon barbatipes, 206
Acrosternum hilare, 338
Aedes aegypti, 522, 579
  breeding of in rock holes, 706
  genetic variability in, 47, 58
  lipids of larvae of, 663
  sensory hairs on tarsi of, 531
Aedes aegypti var. queenslandensis, 52
  africanus, 522
  apicoargenteus, 522
  atropalpus, 580
  ingrami, 522
  longipalpis, 522
  macfiei, 522
  simpsoni, 522
  triseriatus, 580
  vittatus, 707
Agapostemon angelicus, 159
  nasutus in the United States, 481
Agrobombus, 217
Alkali bee, ecological studies on, 5
Allochrysa, 69
Allothrombium fuliginosum, 301
  ignotum, 301
  lerouxi, 295
  metae, 301
  neapolitanum, 301
  pulvinum, 301
Amblygamasus septentrionalis, 361, 367, 714
  life history of, 196
Amblygamasus septentrionalis var. norvegicus, 199
American cockroach, sterol from cholesterol-fed, 723
Ammophila breviceps, 156
  procera, 156
  pruinosa, 156
  sp., 149
  volcanica, 156
Amorpha fruticosa, gall of Walshia amorphella on, 476
Ancistrocerus lineativentris fulvicarpus, 154
Anobiidae, 251
Anopheles albimanus, cytogenetics of, 245
  apicoargenteus, 707
  barberi, 581
  crucians, 581
  gambiae, 707
  punctipennis, 581
  quadrimaculatus, 581, 607
Anoplura, 415
Anthicidae, 492
Anthicus pallidus Say, 492
Anthidiellum notatum robertsoni, 159
Anthonomus grandis, 515
Anthophora montana, 161
  smithi, 161
  urbana, 161
Anurogryllus muticus, 92
Apanteles theclae, 372
Aphelinoidea plutella, 369
Apheobantus sp., 564
Aphidiinae, 566
Aphids, ingestion of nicotine by, 42
Aphytis lingnanensis, 451
Apis mellifera, 104, 260, 565
  reaction to sounds and vibrations, 83
Apterobittacus apterus, 474
Arctiidae, 719
Argas, bat ticks of, 555
Argas (Carios) *australiensis*, 555
  (Chiropterargas) confusus, 559
  (Carios) pusillus, 555
  (Carios) vespertilionis, 555
Argasidae, 555, 605
Artheneinae, 604
Artheneini, 604
Arthropods, clearing, staining, and mounting, 606
  defense mechanisms of, 261
Aspergillus luchuensis, 124
  niger, 367
Astata, study of genus, 643
Astata, 644
  *bakeri*, 647
  bicolor, 652
  bigeloviae, 650
  *boharti*, 650
  boops, 655
  *clypeata*, 651
  costai, 655
  leuthstromi, 648
  mexicana, 653
  miejii, 655
  minor, 655
  nevadica, 654
  nubecula *bechteli*, 649
  nubecula nubecula, 649
  occidentalis, 651
  unicolor, 652
  *williamsi*, 653
Astatinae, with study of Astata, 643
Atalopodes campestris, 560

Bactra verutana, 561
Bat ticks, of genus Argas, 555
Belba *kingi*, 202, 203, 364
  life history of, 357
Belbidae, 357, 361
Berytidae, 677
Bethylidae, 569
Bezzia, reclassification of, 272
Bicyrtes capnoptera, 157
Biology of: Aedes aegypti, 664
  Astata, 645
  Belba *kingi*, 358
  Ceratozetes gracilis, 583
  Eremobelba *nervosa*, 361
  Metabelba montana, 361
  Panonychus sp., 373
  Pergamasus and Amblygamasus, 200
  Platynothrus, 709
  Protoribates lophotrichus, 587
  Steganacarus, 714
  Tabanus dorsifer, 436
  Trichoplusia ni, 591
Bionomics, of tomato russet mite, 431
Biston betularia, 696
  cognataria, 696
  swettaria, 695
Bittacus banksi, 475
  chlorostigma, 475
  mexicanus, 475
  occidentis, 475
  pallidipennis, 475
  pilicornis, 475
  punctiger, 475
Blaberinae, 127
Blaberus craniifer, 129
Black blow fly, alimentary canal of, 380
Black fly larvae, Nematoda from, 535, 542
Black Hills beetles, sexing, 723
Bladder senna, visits of bees to, 259
Blankaartia ascoscutellaris, 106
Blatta orientalis, 124, 633
Blattaria, 633
Blattella germanica, 102, 126
  oöcyte development in, 633
Blattella vaga, oöcyte development in, 633
Blattidae, 127
Blattinae, 127
Blueberry tip borer, life history of, 119
Bolitophila, key to, 99
Bolitophila acuta, 101
  alberta, 101
  atlantica, 101
  bilobata, 99
  bucera, 101
  cinerea, 101
  clavata, 99
  connectans, 101
  disjuncta, 99
  distus, 101
  dubiosa, 101
  duplus, 101
  hybrida, 99
  montana, 101
  patulosa, 99
  perlata, 101
  raca, 101
  recurva, 99
  simplex, 99
  subteresa, 101
  tenella, 101
Bombus, measurements of species, 214
Bombus morrisoni, 260
Bombyx mori larva, 76
Book Reviews: Authors:
  Browne, F. G., 724
  Collin, J. E., 139
  Leonard, Fannie A. and Justin W., 479
  Lindroth, Carl H., 355
Book Reviews: Titles:
  British Flies, vol. 6, Empididae, pt. 3, 139
  Catalogus Coleopterorum Fennoscandiae et Daniae, 355
  Mayflies of Michigan Trout Streams, 479
  The Biology of Malayan Scolytidae and Platypodidae, 724
Brachypanorpa oregonensis, 467
Braconidae, 403, 566
Bruchophagus gibbus, systematic position of, 1
  kolobovae, 2
  roddi, 2
Bryobia praetiosa, 351


[1] Compiled by Gladys O. Visel.

Bumble bees, morphometric studies on, 212
visits to bladder senna, 259
Byrsotria fumigata, 127

Calliphora erythrocephala, 609
vicina, 104, 140, 445
Calliphoridae, 380
wing variations in, 210
Callitroga hominivorax, 515
Camisia spinifera, 202, 203
Camisiidae, 709
Carabodes areolatus, 203
Carbon dioxide, attractant for ticks, 605
Carpenter bee, life of, 263
Caupolicana yarrowi, 158
Celerio intermedia, synonym of, 259
lineata, 259
oxybaphi, 259
Cephalonomia utahensis, life history of, 569
Cephus corae, 202
Ceratobezzia, 274
Ceratopippia bipilis, 203
Ceratopogon nitidus, 279
setiger, 279
Ceratopogonidae, 182, 272, 721
Ceratopogoninae, 273
Ceratopogonini, 273
Ceratozetes cisalpinus, 394
internal anatomy of, 164
Ceratozetes gracilis, 203
observations on, 583
Ceratozetidae, 583
Chaetanaphothrips, 383
aureus, 386
clarus, notes on its genus, 383
orchidii, 386
signipennis, 384
Characoma proteella, 562
Chelinidea tabulata, 677
Chelocnetha biroi, 207
Chicobolus spinigerus, 261
Chirostilbia flavifemur, 207
Chloropidae, 39, 253
Cholesterol, sterol from American cockroaches fed, 723
Chordonota, 19
Chrysopa carnea, 70
cubana, 70
oculata, 70
plorabunda, 70
rufilabris, 70
Chrysopa larvae, adhesive substance in, 69
Chrysopidae, 69
Cicadellidae, 141, 143, 234
Cicindela haemorrhagica, 14
Citrus red mite, 373, 378
Cladosporium cladosporioides, 358, 364
Cletomorpha raja, 678
Clinohelea, 274
Cnephia emergens, 543
mutata, 543
Coccophagus basalis, 455
Cochliomyia hominivorax, 445
wing variations in, 210
Cochliomyia macellaria, 210
Cockroaches, colleterial glands of, 124
Coelioxys deplanata, 160
Coeloides brunneri, immature stadia of, 403
Coenus delius, 328
Coleopencyrtus hylaei, 477
Coleoptera, 77, 104, 251, 492, 502, 524, 569, 619
Colladonus *aflexus*, 143
*arconus*, 146
new species, 143
*olus*, 147
*parvus*, 143
*peayi*, 143
Collembola, infesting man, 428
Colutea arborescens, visits of bees to, 259
Conophthorus coniperda, behavior of, 524
radiatae, 457
life history of, 569
Coreidae, 676
Coreinae, axillary spur in, 675
Coreus marginatus, 678
Corixidae, 677
Cosmopepla bimaculata, 335
Cosmopterygidae, 476
Cossutia flaveola, 677
Crambus sp., 561
Cryptectemnia laticalx, 208
Cryptolestes ferrugineus, oviposition rate of, 77
Cucujidae, 77
Culex (Neoculex) apicalis, 410
decens, 707
duttoni, 707
(Culex) erythrothorax, 410
macfiei, 522
nebulosus, 522, 707
(Culex) peus, 410
(Culex) pipiens, 409
pipiens quinquefasciatus, 94, 410, 580
restuans, 580
salinarius, 580
(Culex) tarsalis, 410
territans, 580
(Lutzia) tigripes, 522, 707
wigglesworthi, 522
Culicidae, 47, 48, 94, 245
Culicoides *alexanderi*, 190
*bickleyi*, 188
biguttatus, 182
*denticulatus*, 193
*downesi*, 186
*jamnbacki*, 192
loughnani, 721
obsoletus, 182
piliferus and related species, 182
*pseudopiliferus*, 189
*scanloni*, 187
snowi, 183
*testudinalis*, 191
Culicoidini, 273
Culiseta, pupae of, 94
Culiseta (Culiseta) incidens, 410
(Culiseta) inornata, 94 ,410
Cuterebra latifrons, 354
lepivora, red eye spots in, 353
Cuterebridae, 353
Cydnidae, 21, 676
Cymatophoridae, 719
Cyphomyia, 16
bicarinata, 16
pilosissima, 16

Dasyheleinae, 273
DDT-resistant larvae of Aedes, 663
Dendroctonus brevicomis, 459
ponderosae, sexing, 723
pseudotsugae, 403, 659
Dermacentor occidentalis, 605
Dermestes maculatus, 104
Diaperini, new, 502
Dibezzia, 274
Dicyphoma, 15
*ryckmani*, 18
schaefferi, 16
Digger wasps, behavior of, 559
Dilompini, 604
Dilompus robustus, 600
Diplohelea, 275
Diploplectron, 644
Diploptera punctata, 125, 613
Diplopteridae, 127
Diplopterinae, 127
Diptera, 15, 39, 47, 58, 94, 99, 104, 182, 206, 210, 245, 253, 272, 342, 353, 380, 436, 542, 685, 720, 721, 722
gnathocephalon in larvae of, 607
Douglas-fir beetle, rearing of, 659
Drepanidae, 719
Drosophila melanogaster, effects of parents on life cycle of, 617
Dryudella, 644
Dysdercus koenigii, food intake and growth of, 218

Echinolaelaps echidninus, water-balance in, 483
Ecology of: Belba *kingi*, 358
Ceratozetes gracilis, 583
Eremobelba *nervosa*, 361
Metabelba montana, 361
Pergamasus and Amblygamasus, 200
Platynothrus, 709
Plebejus icarioides, 368
Ectobiinae, 127
Ectobius pallidus, 124
Ectropis bistortata, 700
crepuscularia, 700
fumataria, 700
Edaphus, revision of species of, 619
Edaphus adazla, 621
africanus, 632
angolensis, 621
*bambousi*, 622
basilewskyi, 622
*bitalensis*, 622
garambicus, 624
*kahuziensis*, 624
*kalehensis*, 626
*leleupi*, 626
*lubukensis*, 627
*mabaliensis*, 628
*marlieri*, 628
marshalli, 628
nitidus, 621
*octopunctatus*, 628
pselaphoides, 632
quadripunctus, 629
sechellarum, 629
sexpunctus, 629
spectabilis, 631
*tshuapaensis*, 631
*uvirensis*, 632
Elasmopalpus lignosellus, 561
Empilamprinae, 127
Empoasca fabae, eggs in Solanum, 512
Entomophagous insects, international shipment of, 448
Epeorus humeralis, 293
Epimecis carbonaria, 700
hortaria, 700
Erax stramineus, 14
Eremaeidae, 361
Eremobelba *nervosa*, 203
development, biology, and ecology of, 361
Eretmapodites chrysogaster, 522

Eristalis latifrons, 563
Eucerceris canaliculata, 158
Eumenes aureus, 152
crucifera bolliformis, 153
iturbide iturbide, 153
Eupelmus cyaniceps, 477
Eupeodes volucris, 564
European pine shoot moth, population levels of, 672
red mite, 373, 378
Eurycotis floridana, 126, 633
Eurytomidae, 1
Euschistus euschistoides, 326
tristigmus, 326
varilarius, 325
Eusimulium aureum, 543
latipes, 543
Euthochtha galeator, 678
Euxoa quinquelinea incallida, 562
Everes comyntas, 372
Exidechthis canescens, 455
Eye gnat, attractant chemical in, 33
mass rearing of, 253
wind velocity and temperature preference of 36

Fahrenholzia, from spiny pocket mice, 415
Fahrenholzia *ehrlichi*, 417
fairchildi, 419
ferrisi, 417
*hertigi*, 421
microcephala, 416
schwartzi, 418
texana, 426
Fervidobombus, 217
Field crickets introduced to eastern U. S., 90
Floridobolus penneri, 261
Fomes applanatus, 367
pini, 367
Forcipomyiinae, 273
Forest entomology, radiology in, 456
Formica fusca, 14
Frankliniella helianthi, 387
moultoni, 387
occidentalis, color forms of, 387

Galleria mellonella, 104
Galumna elimata, 202, 203
eliminatus louisianae, 394
Gasterophilus, 607
Gastromermis, from black fly larvae, 535
Gastromermis aquatilis, 538
gastrostoma, 536
haempeli, 536
*viridis*, 536, 544
Genetic manipulations, control of insects by, 515
Geometrid moths, melanism in, 695
Geometridae, 719
German cockroach, metabolism of $H^3$-$\beta$-sitosterol by, 102
Glenostictia, 563
pictifrons, 563
pulla, 564
scitula, 564
Glyptholaspis confusa, 508
Gnathocephalon in larvae of Diptera, 607
Green peach aphid, adaptation to tobacco, 42
Gryllidae, 90, 303
Gryllodes sp., 92
Gryllus assimilis, 90
campestris, 90
firmus, 91
fultoni, 91
pennsylvanicus, 91
rubens, 91
sp., 92
veletis, 91
vernalis, 91

Halictidae, 481
Haplozetidae, 587
Harpagomyia taeniarostris, 523
Hellula rogatilis, 561
Hemiptera, 21, 597
Hemiptera-Heteroptera, 323
Hendecaneura shawiana, life history of, 119
Hermannia gibba, 203
Heteromyia, 274
Heteromyiini, 275
Heteromys anomalus anomalus, 418
desmarestianus, 419, 422
goldmani, 418
Heteroptera, 218, 597
axillary spur in, 675
Heterostylum robustum, parasitic on Nomia, 5
Hierodula patalifera, 130
Hippelates, breeding niches of, 389
influence of rainfall on Cuban, 39
mass rearing of, 253
wind velocity and temperature preference of, 36
Hippelates collusor, 36, 257, 391
attractant chemical in, 33
Hippelates dorsalis, 257, 392
hermsi, 391
impressus, 40
pusio, 40, 391
robertsoni, 257, 392
Holometabolus insects, ribonucleic acid in, 104
Homalodisca coagulata, 141
Homohelea, 274
Homology of Culiseta setae, 94
Homoptera, 143, 234
Honey bee, chemistry of reproductive system of drones, 135
reaction to artificial sounds and vibrations, 83
visits to bladder senna, 259
Honeydew, auxins of Toxoptera, Therioaphis, and Macrosiphum, 229
Hoplopleuridae, 415
Horse flies, response to light, 720
Hortobombus, 217
House fly, hydrocarbons of adult, 442
Machrocheles a predator of egg, 507
House fly larvae, rearing aseptically, 140
Hylaeus (= Prosopis) cressoni, 477
Hylemya cilicrura, 562
Hylephila phyleus, 560
Hymenoptera, 1, 104, 263, 403, 481, 559, 566, 569, 643
aculeate, sleeping aggregations of, 148
Hypochthonius rufulus, 203

Iceus elegans, 479
Inositol requirement of Periplaneta, 703
International shipment of insects, 448
Ips confusus, 460
Isomermis, from black fly larvae, 535
Isomermis herculanensis, 538
*wisconsinensis*, 538, 544
Ixodes pacificus, 605
Ixodidae, 605
Ixodoidea, 555

Jenkinshelea, 274
Johannseniella inermis, 279
Johannsenomyia, 276
annulicornis, 276
argentata, 277
australiensis, 279
luaboensis, 279
nigripes, 279
shibuyai, 279
sidis, 279
Johnstoniana, 298

Kalobittacus bimaculatus, 476
Kangaroo rat, new Radfordia from, 547

Labocerina, 19
Laelaptidae, 483
Largidae, 677
Largus cinctus, 677
Lasiocampidae, 719
Lassiglossum sisymbrii, 159
Leafhoppers, sex of nymphs, 141
Lelegeis, 503
aeneipennis, 503
apicalis, 503
*hispaniolae*, 503
Lenzites saepiaria, 367
trabea, 367
Lepidoptera, 104, 119, 259, 367, 476, 591
Leptoconopinae, 273
Leptothorax curvispinosus, 479
Lesser rice weevil, effects of sorghum on, 678
Leucophaea maderae, 125, 633
Libythea larvata, 561
Light traps, ultrasonic and silent, 716
Lindorus lophanthae, 450
Liomys adspersus, 419
irroratus alleni, 417
irroratus canus, 417
irroratus jaliscensis, 417
irroratus texensis, 417, 426
salvini salvini, 419
Lithosiidae, 719
Loxostege bifidalis, 562
similalis, 562
*Loxostethus*, 504
*fasciatus*, 504
*jamaicensis*, 506
*opacifrons*, 506
*unicolor*, 506
Lucilia sericata, 607
Lycaena phlaeas hypophlaeas, 369
Lycaenidae, 367
Lygaeidae, 677
classification of, 597
Lymaenon, 369
Lymantriidae, 719

Macrocheles muscaedomesticae, nematodes as food for, 507
Macrochelidae, 507
Macropeza, reclassification of, 272
Malathion, tolerance of Aedes to, 668
*Mallochohelea*, 278
albibasis, 279
*albihalter*, 280

*atripes*, 281
caudellii, 281
flavidula, 281
pullata, 282
smithi, 282
*spinipes*, 282
sybleae, 283
*texensis*, 283
*variegata*, 283
Mansonia (Coquillettidia) annetti, 522
(Coquillettidia) metallica, 522
Mecoptera ,types in European museums, 466
Melanism in geometrid moths, 695
Melanoplus femoratus, 130
Melipotis indomita, 562
Melissodes paroselae, 161
sp., 149
tristis, 161
Menecles insertus, 328
Mermithidae, 535
Merope tuber, 467
Mesomermis, from black fly larvae, 535
Mesomermis bursata, 540
*flumenalis*, 540
sphaerocephala, 540
Metabelba montana, 201, 203
development, biology, and ecology of, 361
Metahelea, 274
Metaphycus helvolus, 449
lounsburyi, 449
luteolus, 450
stanleyi, 449
Methods and Procedures: Acarina, life histories of, 196
Aedes, genetics of, 47
Aedes, isolating mutations in, 58
Aedes, sensory hairs of, 532
Anopheles, cytogenetics of, 245
aphids, ingestion of nicotine by, 42
Belba *kingi*, taxonomy, biology, ecology of, 358
black fly larvae, nematode parasitism of, 543
Blattella, oöcyte development in, 633
blueberry tip borer, nature of, 120
bumble bees, relationships between castes and species of, 214
Ceratozetes, internal anatomy of, 164
Chrysopa larvae, production of adhesive substance in, 70
cockroaches, colleterial glands of, 124
Coeloides, durations of immature stadia of, 402
cryptic insects, detecting by radiology, 457
Diptera larvae, gnatocephalon, 607
Douglas-fir beetle rearing, 659
drone honey bee, reproductive system, 135
Drosophila, effect of parents on, 617
Dysdercus, food intake and growth of, 219
eye gnats, attractant chemical in, 33
Frankliniella, vector ability of, 387
German cockroach, mechanism for dealkylation of β-sitosterol, 102
Hippelates, breeding habits of, 390
Hippelates, relationship between precipitation and abundance of, 40
honey bee, sound intensity by, 83
horse fly, response of to light, 720
house fly, hydrocarbons of, 443
house fly larvae, rearing, 140
Hymenoptera, comparing aggregations of, 149
lesser rice weevil, effects of sorghum on, 679
millipede secretions, chemistry of, 261
mosquito, dry-season survival of, 521
mosquito eggs, properties of apical drop of, 410
mosquito larvae and pupae, naming abdominal setae of, 94
moth catches by light trap, 716
Musca, requirements of for saline solutions, 131
Nomia, pollinator of alfalfa, 5
Oribatei, value to soil fertility, 202
oribatids, sectioning, 394
Periplaneta, inositol requirement of, 704
Phormia, rhythmic activities of, 380
pink bollworm, larval diet of, 499
pink bollworm, weight vs. lipid and water content of, 226
Plebejus, percentage of egg parasitism of, 369
potato leafhopper eggs, clearing plant tissues for, 512
red spider mite, fertilization tests of, 378
red velvet mite, studying, 295
rusty grain beetle, oviposition rate of, 78
Scaptocoris, behavior of, 21
screw-worm flies, wing variations in, 210
spiny rat mite, water-balance in, 484
tomato russet mite, biology of, 431
Toxoptera, Therioaphis, Macrosiphum, auxins in honeydew of, 229
tree crickets, taxonomy and calling songs of, 303
Trichobius, morphology of, 685
trombiculid mite, musculature of, 106
yellow mealworm, comparing offspring of, 439
yellow mealworm, tolerance of to pH, 480
Microgaster ecdytolophae, 477
Microlepidoptera, 719
Microsiphum pisi, auxins in honeydew of, 229
Microterys flavus, 450
Millipedes, Para-benzoquinones from, 261
Miodasia opalinipennis, 208
Miogryllus verticalis, 91
Miridae, 677
Mite, biochromes of, 350
musculature of a trombiculid, 106
Mormidea lugens, 327
Morphology of Trichobius, 685
Mosquito, breeding of in rock holes, 706
pupae of receptacle-breeding, 577
survival of plant-cavity breeding, 521
Mosquito eggs, surfactant in apical drop of, 409
Moth catches by ultrasonic and silent light trap, 716
Musca domestica, 102, 104, 140, 442
maintaining isolated heart of, 131
Musca vomitoria, 609
Mutations of Aedes, 47, 58
Mycetophilidae, 99
Myobiidae, 547
Myotis velifer, 688
Myzus persicae, 42

Nabidae, 677
Nacophora atrescens, 699
quernaria, 698
Nanhermannia elegantula, 203
Narceus annularis, 261
gordanus, 261
Naucoridae, 677
Naucoeta cinerea, 126
Nematoda, 535
Nematodes, food for Macrocheles, 507
parasitism of black fly larvae, 542
Neostylopyga rhombifolia, 633
Neottiglossa sulcifrons, 331
Neoxabea, 303
bipunctata, 306
niveus, 306
Neurohelea, 274
Neuroptera, 69
Nicotine, ingestion of by aphids, 42
Nilobezzia, 283
brevicornis, 284
*mallochi*, 284
minor, 285
schwarzii, 285
Noctuidae, 719
Nomada sp., 149
Nomia melanderi, ecological studies on, 5
triangulifera, 13
Nothochromini, 604
*Nothochromus*, 600
*maoricus*, 601
Noctuidae, 591
Nothrus biciliatus, 203
Notodontidae, 719
Notonectidae, 677

Obalus pugnax, 336
Odocoileus hemionus columbianus, 605
Oecanthinae, 303
Oecanthus, 307
angustipennis, 308
californicus, 317
discoloratus, 308
exclamationis, 309
*fultoni*, 309
latipennis, 318
*leptogrammus*, 309
niveus, 303
rileyi, 309
varicornis, 303
Oncometopia nigricans, 141
undata, 141
Oncopeltus, 224
Oppia nova, 202, 203, 367
Orchesella albosa ainsliei, 428
Oribatei, 164
Oribatei, soil: associations of Protoribates with microorganisms, 587
decomposition of conifer needles and deciduous leaf petioles by Steganacarus, 713

development, biology, and ecology of Metabelba montana and Eremobelba *nervosa*, 361
feeding specificity of, 202
investigations on Platynothrus peltifer, 709
life history of Belba *kingi*, 357
observations on Ceratozetes, 583
Oribatid pteromorphs, pterogasterine phylogeny and evolution of wings, 394
Oribatula minuta, 201, 203, 367
Ornithodoros coriaceus, 605
Orthopodomyia alba, 582
signifera, 582
Orthoptera, 90, 303
Osmia lignaria, 268

Pachyhelea, 275
Palpomyia, reclassification of, 272
Palpomyia errinae, 279
Palpomyiini, 275
Panonychus citri, 351, 373, 378
sp., biology of, 373
ulmi, 373, 378
Panorpa americana, 467
confusa, 468
debilis, 468
fasciata, 470
*galerita*, 472
*helena*, 474
immaculata, 470
lugubris, 470
nebulosa, 470
nuptialis, 471
punctata, 471
rufa, 471
rufescens, 471
scorpio, 471
subfurcata, 472
terminata, 473
venosa, 473
Para-benzoquinones from millipedes, 261
Parasitidae, 196
Parasitus spp., 361
Paratenodera sinensis, 130
Parcoblatta pensylvanica, 124
virginica, 124
Parrotia, 274
Paryphoconus, 275
Pectinophora gossypiella, 225, 499
Pellucidomyia, 274
Penicillium sp., 367
Pentatomidae, 676
nymphal stages of, 323
Perdita marcialis, 565
numerata numerata, 565
Pergamasus crassipes, 361, 367, 714
life history of, 196
Pergamasus crassipes var. longicornis, 199
Peribalus limbolarius, 331
Perillus bioculatus, 340
Periplaneta americana, 124, 633, 723
inositol requirement of, 703
Periplaneta australasiae, 126, 633
brunnea, 126, 633
fuliginosa, 633
Phaeogenes walshiae walshiae, 477
Phigalia deplorans, 697
mephistaria, 698
monacharia, 698
olivacearia, 698
strigataria, 695
titea, 697
Phlebotomus papatasi, antennal ascoid/segment ratio in, 722
Phormia regina, 140, 210, 445
alimentary canal of, 380
Phthiracaridae, 713
Phthiracarus setosellum, 203
Phyciodes phaon, 560
Pieris rapae, 293
Piesmatidae, 677
Pink bollworm, diapause and growth-rate of, 499
weight vs. lipid and water content of, 225
Pissodes terminalis, 457
Pitedia persimilis, 334
Plagiprosphorysa parvipalpis, 564
Platydema, 502
antennatum, 506
*dichrocerum*, 502
erythrocerum, 502
Platynothrus peltifer, 203
investigations on, 709
Plebejus icarioides, parasites of immature stages, 367
Plecotus townsendi pallescens, 688
Pliodasina guttata, 207
Podisus maculiventris, 339
Pollenia rudis, 210
Pomobombus, 217
Poria monticola, 358
Porthetria dispar, 33
Potato leafhopper eggs, direct count in Solanum, 512
Pratobombus, 217
Priononyx pubidorsum, 156
Probezzia, 274
Procedures (see under Methods)
Proconiini, 141
Prosimulium decemarticulatum, 543
fuscum, 543
gibsoni, 543
magnum, 543
mixtum, 543
tenuicalx, 209
Protoribates lophotrichus, 201, 203, 367
associations with microorganisms, 587
Protosilvius, 342
longipalpis, 344
*mackerrasi*, 346
*phoeniculus*, 345
*priscus*, 346
termitiformis, 344
Pselaphochir oculata, 208
Pseudobezzia, 275
Pseudomopinae, 127
Pseudotritia ardua, 203
Pseudotsuga menziesii, 403
Psilocephala aldrichi, 564
Psilocnetha scapulata, 209
Psilozia groenlandica, 207
Psychodidae, 722
Psorophora confinnis, 94
Pternaspatha nigristrigata, 208
Pterocheilus sp., 149
Ptinus tectus, 81
Pycnoscelus surinamensis, 130
Pyralidoidea, 719
Pyrgus communis, 561
Pyrrhocoridae, 677

Radfordia, new, with key to species, 547
Radfordia aegyptica, 552
affinis, 552
*bachai*, 547
ensifera, 552
ewingi, 552
floridensis, 552
forcipifer, 552
lancearia, 552
lemnina, 552
multivaga, 552
rotundata, 552
sicula, 552
sigmodontis, 552
subuliger, 552
zibethicalis, 552
Radiology in forest entomology, 456
Raspberry, red spider mite on, 373, 378
Red spider mite, biology of, 373
fertilization tests of, 378
Red velvet mite, immature stages of, 295
Reduviidae, 677
Rhabditella leptura, 507
Rhyzopertha dominica, 81
Rhyacionia buoliana, population levels, 672
Rhydinofoenus floridanus bradleyi, 478
Ribonucleic acid in holometabolous insects, 104
Rusty grain beetle, oviposition rate of, 77
Rygchium annulatum evectum, 153
hidalgo, 154
sp., 149

Saline solutions, maintaining heart of Musca, 131
Sapintus, Nearctic species of, 492
Sapintus, 493
*arizonicus*, 496
*caudatus*, 493
corticalis, 494
fulvipes, 496
hispidulus, 495
*lemniscatus*, 498
pubescens, 493
pusillus, 495
timidus, 496
Scapsipedus micado, 92
Scaptocoris divergens, soil and moisture relations of, 21
Scheloribates laevigatus, 394
pallidulus, 201, 203
Scolia sp., 149
Scolytidae, 524, 569
Screw-worm flies, wing variations in, 210
Senotainia rubriventris, 562
Separatobombus, 217
Shipment of insects, internationally, 448
Shizoneura rileyi, 292
Simuliidae, 542
notes on Enderlein's types, 206
Simulium corbis, 543
decorum, 543
jenningsi, 543
luggeri, 543
tuberosum, 543
venustum, 535, 543
vittatum, 535, 543
Sitophilus granarius, 81
oryzae, 81
effects of sorghum on, 678
Snycephelastrum racemosum, 358, 364
Solanum, direct count of Empoasca eggs in, 512
Sphaeromias, 277
longipennis, 278
turneri, 279

Sphaeromiini, revision of, 272
Sphecidae, 559, 643
Sphex lucae, 156
Sphingidae, 259, 719
Spiny pocket mice, Fahrenholzia species from, 415
Spiny rat mite, water-balance in, 483
Staphylmidae, 619
Steganacarus diaphanum, 202, 203
decomposition of conifer needles and deciduous leaf petioles by, 713
Stemphylium sp., 358
Steniolia, 563
duplicata, 562
Stenodynerus, 149
ochrogonius, 155
taos, 156
Stenoxenini, 275
Stenoxenus, 275
Stictiella, behavior of, 559
Stictiella callista, 562
emarginata, 562
evansi, 562
formosa, 560
melanosterna, 562
pulchella, 562
serrata, 561
Stilobeziini, 273
Stomoxys calcitrans, 721
Stratiomyidae, 15
Streblidae, 685
Strymon melinus, 372, 560
melinus pudica, 562
Subterraneobombus, 217
Supella supellectilium, 126, 633
Syntomidae, 719

Tabanidae, 436, 720
notes on, 342
Tabanus dorsifer, biology of, 436
Tadarida brasiliensis mexicana, 688
Telenomus emersoni, 436
fairchildi, 436
grapta, 369
Tenebrio molitor, pH on heart of, 480
physiological comparisons of offspring of, 439
Tenebrionidae, 502
Tetrabezzia, 274
Tetranychus bimaculatus, 351
telarius, 376
Thanaos zarucco, 561
Therioaphis maculata, auxins in honeydew of, 229
Thripidae, 383, 387
Thrips tabaci, 388
Thyanta custator, 334
Thysanoptera, 383, 387
Ticks, carbon dioxide as an attractant for, 605
Tomato russet mite, bionomics of, 431
Tomato spotted wilt virus, vector of, 387
Tortricidae, 119
Toxoptera graminum, auxins in honeydew of, 229
Toxorhynchites rutilus, 579
Trachiotinus bibens, 290
Tree crickets, taxonomy and calling songs of, 303
Tribolium confusum, 80
Trichobius corynorhini, morphology of, 685
major, morphology of, 685
sphaeronotus, morphology of, 685
Trichoderma koningi, 358
Trichogramma minutum, 369
Trichopepla semivittata, 329
Trichoplusia ni, biology of, 591
Triepeolus norae, 161
n. sp., 161
sp., 149
verbesinae, 161
Trigoniulus lumbricinus, 261
Trioxys pallidus, separation from T. utilis, 566
Trombidiidae, 295
Trypoxylon frigidum, 477

Urostylidae, 676

Vasates lycopersici, bionomics of, 431
Veigiaia spp., 361
Villa lateralis, 563

Walshia amorphella gall, microcommunity associated with, 476
Water-balance in spiny rat mite, 483
Wilhelmia pygmaea, 209
Wing tracheae of insects, homology and development of, 289

Xelomelecta californica, 162
Xenohelea, 274
Xerophloea, revision of, 234
Xerophloea breviceps, 241
cephalica, 240
difformis, 240
elegans, 241
elongata, 243
gigas, 241
magna, 243
majesta. 242
major, 240
peltata, 243
robusta, 241
tuberculata, 240
viridis, 242
Xyletinus, new, with key, 251
Xyletinus distans, 252
*fasciatus*, 252
fucatus, 253
gracilipes, 252
grossus, 252
harrisii, 252
lugubris, 253
mucoreus, 252
pallidus, 252
peltatus, 252
pubescens, 252
sequoiae, 252
Xylocopa valga, 269
virginica, life of, 263
Xylocopidae, 263

Yellow-fever mosquito, sensory hairs on tarsi of, 531
Yellow mealworm, pH on heart of, 480
physiological comparisons of offspring of, 439

Zodion obliquefasciatum, 5
Zygodontomys cherriei, 422